

Tabla 2 - Factores asociados a la adherencia a sulfato ferroso en gestantes de sitios centinela ministerio de salud Perú, 2014

Variable	Adherencia		Crudo OR (IC 95 %)	p	Ajustado OR (IC 95 %)	p
	Sí (%)	No (%)				
Primaria						
Sí	133 (30,3)	124 (20,7)	1,7 (1,3;2,2)	0,001	1,5 (0,8;2,8)	0,161
No	306 (69,7)	475 (79,3)	1,0	---	1,0	---
Secundaria						
Sí	224 (51,0)	360 (60,1)	0,7 (0,5;0,9)	0,004	1,2 (0,8;2,0)	0,422
No	215 (49,0)	239 (39,9)	1,0	---	1,0	---
Superior universitaria						
Sí	27 (6,2)	19 (3,2)	2,0 (1,1;3,6)	0,021	3,4 (1,5;7,7)	0,004
No	412 (93,8)	580 (96,8)	1,0	---	1,0	---
Consumo alimentos ricos en hierro						
Sí	148 (39,8)	142 (31,1)	1,5 (1,1;1,9)	0,009	1,6 (1,1;2,5)	0,020
No	224 (60,2)	314 (68,9)	1,0	---	1,0	---
Consumo suplementos o vitaminas						
Sí	213 (62,8)	220 (54,2)	1,4 (1,1;1,9)	0,017	0,9 (0,6;1,3)	0,582
No	126 (37,2)	186 (45,8)	1,0	---	1,0	---
Suele comer sangrecita de pollo						
Sí	118 (26,9)	116 (19,5)	1,5 (1,1;2,0)	0,005	1,4 (0,9;2,3)	0,142
No	321 (73,1)	480 (80,5)	1,0	---	1,0	---
Ha tomado algún medicamento						
No	377 (85,9)	474 (79,5)	1,6 (1,1;2,2)	0,008	1,1 (0,7;1,8)	0,675
Sí	62 (14,1)	122 (20,5)	1,0	---	1,0	---
Ha tenido o sentido náuseas						
No	391 (89,1)	485 (81,6)	1,8 (1,3;2,6)	0,001	1,4 (0,9;2,4)	0,172
Sí	48 (10,9)	109 (18,4)	1,0	---	1,0	---
Ha tenido o sentido gastritis						
No	433 (98,6)	573 (96,5)	2,6 (1,1;6,6)	0,031	2,3 (0,7;7,4)	0,157
Sí	6 (1,4)	21 (3,5)	1,0	---	1,0	---
Ha tenido acidez						
No	404 (92,0)	523 (88,0)	1,6 (1,0;2,4)	0,037	1,6 (0,9;2,8)	0,097
Sí	35 (8,0)	71 (12,0)	1,0	---	1,0	---

Ha sentido mal sabor de boca						
No	385 (87,7)	478 (80,5)	1,7 (1,2:2,5)	0,002	1,3 (0,8:2,2)	0,308
Sí	54 (12,3)	116 (19,5)	1,0	---	1,0	---
Ha tenido somnolencia						
No	390 (88,8)	486 (81,8)	1,8 (1,2:2,5)	0,002	1,3 (0,8:2,1)	0,258
Sí	49 (11,2)	108 (18,2)	1,0		1,0	
Lo suprimió por molestias						
No	319 (88,1)	372 (69,7)	3,2 (2,2:4,7)	< 0,001	2,8 (1,7:4,6)	0,001
Sí	43 (11,9)	162 (30,3)	1,0	---	1,0	---
Puesto de salud						
No	287 (65,4)	316 (52,8)	1,7 (1,3:2,2)	< 0,001	1,2 (0,7:2,0)	0,494
Sí	152 (34,6)	283 (47,2)	1,0	---	1,0	---
Centro de salud						
Sí	223 (50,8)	239 (39,9)	1,6 (1,2:2,0)	< 0,001	0,6 (0,4:1,1)	0,083
No	216 (49,2)	360 (60,1)	1,0	---	1,0	---
Altitud 1001 m s. n. m. a 2000 m s. n. m.						
Sí	67 (15,3)	35 (5,8)	2,9 (1,9:4,5)	< 0,001	4,0 (1,6:10,1)	0,003
No	372 (84,7)	564 (94,2)	1,0	---	1,0	---
Altitud 2001 m s. n. m. a 3000 m s. n. m.						
Sí	28 (6,4)	11 (1,8)	3,6 (1,8:7,4)	< 0,001	2,9 (1,0:8,4)	0,057
No	411 (93,6)	588 (98,2)	1,0	---	1,0	---
Altitud 3001 m s. n. m. a 3838 m s. n. m.						
No	304 (69,2)	364 (60,8)	1,5 (1,1:1,9)	0,005	1,0 (0,6:1,5)	0,078
Sí	135 (30,8)	235 (39,2)	1,0		1,0	

R² Cox y Snell = 0,122 R² Nagelkerke = 0,164 Prueba de Hosmer y Lemeshow = 9,055 gl = 8 p = 0,338 Porcentaje global = 66,9.